Environmental management

GIS APPLICATIONS IN TOURISM PLANNING. 'A TOOL FOR SUSTAINABLE DEVELOPMENT INVOLVING LOCAL COMMUNITIES'

S. AVDIMIOTISa*, E. CHRISTOUb

^aSchool of Social Sciences, Greek Open University, Greece

E-mail: rdoffice@tour.teithe.gr

^bDepartment of Tourism Management, Technological Educational Institution of Thessaloniki, Greece

E-mail: vangel@the.forthnet.gr

Abstract. Geographic Information Systems (GIS) are now recognised widely as a valuable tool for managing, decision-making, analysing, and displaying large volumes of diverse data pertinent to many local and regional planning activities. However, the number of GIS applications for regional tourism planning has not mushroomed as in other fields. This is also reflected in the field of sustainable tourism, where the adoption of new technologies has been rather slow. Nonetheless, sustainable tourism decision-making and carrying capacity estimation has a lot to benefit from using such technologies. GIS can be used for managing the various information needs, estimating indicators, and generally assisting decision-making in the planning phase, as well as in the monitoring and evaluation phases. The paradigm of Municipality of Chalkidki - Greece proves the necessity and the value of such technologies.

Keywords: sustainable development, decision-making support, carrying capacity.

AIMS AND BACKGROUND

One of the most remarkable technologic innovation in tourism planning and decision-making is Geographic Information Systems (GIS). GIS is a computer based powerful set of tools for collecting, storing, retrieving, mapping, analysing, transforming and displaying spatial and non-spatial data from geographic world for a particular set of purposes that varies for each discipline¹⁻¹⁰.

Both GIS and tourism share a common characteristic, that is, both cross the boundaries of disciplines and application areas. GIS has been applied in many fields including geography, forestry, urban development and planning, and environmental studies. Similarly, tourism has been a subject of interest to geographers, economists, business, environmental planners, anthropologists, and archeologists. As such, the potential for GIS applications in tourism is significant¹¹⁻¹⁵.

^{*} For correspondence.

GIS is now recognised widely as a valuable tool for managing, analysing, and displaying a large data pertinent to many local and regional planning activities. At the same time, its use in environmental planning is rapidly increasing. Tourism is an activity highly depended on environmental resources. It is also a phenomenon, which in the event of a lack of planning and management is likely to erode its environmental base, hence, the strength of tourism planning and decision-making can be enhanced be GIS applications, which provide a toolbox of techniques and technologies of wide applicability to the achievement of sustainable tourism development¹⁶⁻²².

The following tables illustrate the functional capabilities and the tremendous potential of GIS. Rhind (1990) categorised GIS applications in a structured approach according to the generic questions which GIS are frequently used to investigate. Bahaire and Elliot-White¹ related these categories to the basic applications in tourism, as well as, to GIS functions.

Table 1. Capabilities of a GIS

Functional capabilities of a GIS	GIS basic qu	ıestions	Tourism applications
Data entry, storage and manipulation	Location	What is at?	Tourism Resource Inventories
Map production	Condition	Where is it?	Identify most suitable locations for development
Database integration and management	Trend	What has changed?	Measure tourism impacts
Data queries and searches	Routing	Which is the best route?	Visitor management/flows
Spatial analysis	Pattern	What is the pattern?	Analyse relationships associated with resource use
Spatial modelling Decision support	Modelling	What if?	Assess potential impacts of tourism development

Source: Ref. 1.

Problem	GIS application
Benchmark/database	Systematic inventory of tourism resources
Environmental management	Facilitating monitoring of specific indicators
Conflicts	Mapping recreational conflicts: recreation-wildlife: user conflict
Tourism behaviour	Wilderness perceptions
Carrying capacity	Identify suitable locations for tourism/recreation development
Prediction	Simulating and modelling spatial outcomes of proposed tourism development
Data integration	Integrating socio-economic and environmental datasets within a given spatial unit
Development control and direct	ion Decision support systems

It becomes clear that tourism and recreation management and planning have a lot to benefit from using such technology. Some of the key features of GIS that could benefit tourism planning include:

- 1. Their ability to manipulate data and spatial attributes.
- 2. Provide necessary value added information.

Source: Ref. 1.

- 3. The ease in allocating resources between what are often conflicting demands.
 - 4. Their adaptability in requirements needs and data changes over time.
- 5. Their ability to identify patterns or relationships based on particular criteria and support in this way decision-making.

GIS APPLICATIONS IN TOURISM PLANNING

Decision-making and planning in tourism development is becoming increasingly complex, since organisations and communities have to come to terms with the competing economic, social and environmental demands of sustainable development. Spatial or environmental data can be used to explore conflicts, examine impacts and assist decision-making processes. Impact assessment and simulation are increasingly important in tourism development, and GIS can play a role in auditing environmental conditions, examining the suitability of locations for proposed developments, identifying conflicting interests and modelling relationships¹⁻⁶. GIS can provide a set of tools, which can be used for tourism planning and development..

GIS applications may help in several routine tasks in tourism planning: Data access and routine work; Data integration and management; Resource inventory; Area designation and map overlays; Comparative land use and impact analysis; The analysis of visual intrusion; Community involvement and participation.

GIS applications can provide at least three different types of information. Tourism resource maps enable planners and stakeholders to analyse the resource set to identify how much is available and where it is; it helps planners and managers determine the capability of an area for the creation of new tourism products or services, identifying locations suitable to tourists or tourism. Tourism use maps enable planners and stakeholders to analyse the resource set to evaluate land use options and identify zones of conflict or complementarity's, such as access points, water, wildlife habitats, etc. Tourism capability maps enable planners and stakeholders to analyse the resource set to monitor tourist resources at risk due to management, planning decisions and other sectors!

Malczewski identifies GIS contribution in all three phases of a decision-making process. GIS can ideally perform the data acquisition, storage, processing and management that the *intelligent phase* implies for identifying opportunities or problems. The design phase is related to the development and the analysis of possible alternatives to the problem identified in the intelligent phase. In a spatial context, GIS, spatial decision alternatives are derived by manipulation and analysis of the data stored in a GIS, using its overlay function. The third and last phase is the *choice phase* and it is about evaluation of the alternatives. GIS contribution here is not as strong as in the previous two. All three phases necessitate the identification and use of sustainable tourism indicators for assessing present situation, identifying weakness, monitoring, and evaluating alternatives. GIS could be the technology to use for identifying and monitoring indicators.

In the case study of Chalkidiki in Greece, the three different types of maps will be used as indicators that will help us to identify suitable locations for tour-ism/recreation development, simulating and modelling spatial outcomes of proposed development within the given spatial unit.

ADVANTAGES OF THE USE OF GIS IN DECISION-MAKING FOR SUSTAINABLE TOURISM

GIS has a number of advantages for supporting decision-making and planning for sustainable tourism²³⁻²⁷. Tourism is an activity that strongly implies the geographical dimension for all, users (the tourists) providers and planners. GIS is the technology specifically developed for the management and study of spatial phenomena. Moreover, tourism is a complex phenomenon involving besides its spatial dimension, social, economic and environmental implications. It involves tourists and locals in an interactive way; it generates income, which in many destinations is the major source; also depends on the use of the natural resources and

the quality of the environment. GIS is a technology capable of integrating various data sets both qualitative quantitative in a single system. This is even more important within the context of sustainable development the implementation of which regards the evaluation of economic, social, and environmental parameters against the pre-established targets. Additionally, focusing on the environmental parameter of tourism GIS has proved to be able to handle a number of different cases related to environmental management.

Besides the integration of environmental, social and economic parameters in a single system, GIS is an integrating technology capable of working along with other technologies (remote sensing, GPS, CAD, etc.) which could further facilitate and offer more tools to sustainable tourism planning and decision-making.

Another competitive advantage is that, because of its adaptiveness, to add or remote thematic layers, constraints and data, it is a dynamic tool for planners rather than a static one, capable of being adjusted as new data become available and as tastes and preferences in demand change over time. These characteristics could be of particular importance in sustainable tourism decision-making as both preferences and targets may change in the course of development and in the course of operationalising the concept of sustainable tourism.

The concept of sustainable tourism development is a subject of an on going debate while its implementation aspects are still very fuzzy. This is even more apparent in sustainable tourism management of mass tourism. The development of GIS based decision support system for sustainable tourism planning and management could have a significant contribution in highlighting implementation aspects and offer the framework and the tools for evaluating, monitoring and planning sustainable tourism.

Implementation aspects offer the framework and the tools for evaluating, monitoring, and planning sustainable tourism. Such system would need to include indicators, criteria for their evaluation based on the established policy goals and possibly weights to reflect relative importance on the parameters examined. Therefore, a coherent framework should be developed contributing on this way to the sustainability debate and the operationalisation of the term. With particular reference and indicators, GIS can contribute not only to their measurement but also to their definition. GIS distinctive ability to generate new information from the existing datasets and thus offering added value information, can lead to the identification of sustainability indicators which otherwise would not be possible to be defined and measured. This is even more important since talking about sustainable development indicators for which combined information is necessitated while applicable data are not often available. Because of GIS' efficiency in producing maps and other tabular displays, comparisons are facilitated for example between tourism resource features and resources needed for other activities, and thus decision-making is facilitated.

The information communication capabilities of GIS is another feature, which assist decision-making. As mentioned earlier, GIS can be used in a number of cases to enhance citizens and stakeholders participation.

Another remarkable technologic innovation in tourism planning and decision-making is the GIS applications over Internet. WWW has been hailed in the popular press as revolutionary medium of communication for the third millennium. The Web is opening up new forms of computer-mediated communications, allowing for new forms of information dissemination, social interaction and collaborative working. WWW has garnered far ranging interest from those of us interested in the representation and analysis of geographic information. Thus, is seen as an exciting medium for numerous reasons: it can be accessed by a global audience, on almost every computer platform, and does not require expensive software or specialist training to use. The multimedia capabilities of the WWW have made it a medium in which visual representations - images, maps, diagrams, and graphs - are as easy to implement as text. Five or so years ago, cartographers, planners and other experts began using the WWW to display static maps, and some low levels of interactivity could be added to the maps by using image maps - click sensitive areas of the map which could hyper-link you to other maps or materials²⁶. GIS vendors and spatial data providers have realised that the WWW will be the next-generation GIS platform, providing a powerful medium for geographic information distribution, as well as a particularly lucrative new market to exploit. Internet GIS activity is facilitating innovative development in the dissemination, visualisation and analysis tools for planners of the built environment. Internet pages that are concerning tourism generally offer information on a variety of categories, including travel, geography, contact details for local tourist information centres, reservation services and event calendars.

LIMITATIONS OF THE USE OF GIS IN DECISION-MAKING FOR SUSTAINABLE TOURISM

Bahaire and Elliot-White¹ conclude that GIS is a very useful tool, which can support decision-making in sustainable tourism planning, and management based on the sensitive use of resources and local needs. However, they note that GIS is just a tool and does not by itself ensure fairness, equity and compatibility with sustainability principles. Bahaire and Elliot-White argue that GIS is not 'asocial' data, not it is 'neutral'. It may be manipulated to support policies of certain interests. As Picles argues, although GIS can enhance access to information and there enhance democratic practices they can also be used to promote the interests of particular groups having access to the technology. Anyway, GIS is do not make decision themselves; they may facilitate data processing and analysis as

well as communicate results, but, according to Bahaire and Elliot-White, they are 'unlikely to alter the political character of policy-making and thereby produce a more sustainable tourism planning practice'.

MEASURING CURRYING CAPACITY IN THE MUNICIPALITY OF CHALKIDIKI – GREECE, USING DATA FROM GIS MAPS

Research methodology. As has been mentioned above, collecting the data and defining the indicators for the Currying Capacity Calculation, are the critical issues of the methodology. The software used was the ARC/VIEW 8.2 edition, where 4 shape files were created. The 1st contains the general map of Chalkidiki, while the 2nd all towns and villages. The 3rd shape file contains rivers and lakes. The last and the most critical shape file include all possible accommodation (hotel rented rooms, camping, etc.). Information was gathered in urban planning offices, and by using simple GPS equipment in order to find the exact coordinates of the buildings.

The calculation of Tourism Operation Indicator (T.O.I.). According to researchers, the currying capacity can be defined as the maximum number of tourists that can be accommodated in a specific area (place of reception of tourists) without causing any undesirable alteration in the natural economic and social environment of the host community

The estimation of the currying capacity can contribute:

- 1. To determine the limits and the level of tourism development in a specific area.
 - 2. To reach safe conclusions for the mapping of developmental strategy.

For each area (coastal and mountainous) specific criteria and indicators are used in order to locate spatial differentiations that are essential for the analysis of tourist offer and demand in the region.

The Tourist Operation Indicator (T.O.I.) is used to address the intensity of tourist phenomenon, in a given territorial unit (place of reception). In the case study of Chalkidiki, the territorial unit of analysis is each Municipal Apartment – 14 in total – and the calculation of T.O.I. is related to the total of the Prefecture.

The Table that follows is indicative.

Table 3. Calculation of the Tourism Operation Indicator (T.O.I.) Camping Area Accommodation Municipal (km²) (p/p rented hotels rented total apartment density) settlerooms ments

1	2	3	4	5	6	7	8	9
Municipality Ap	artment of	ANTHE	EMOUND	A				
Vavdos	6	0	6	0	0	100.1	653	0.01
Galarino	Ô	0	0	0	0	24.2	247	0.00
Galatista	n	0	0	0	0	101.3	3144	0.00
Doumbia	0	0	0	0	0	23.4	640	0.00
Municipality Ap	artment of	f ARNE	4					
Arnea	132	0	132	0	0	69.4	2250	0.08
Varvara	29	0	29	0	0	90.3	718	0.04
Neochorio	4	0	4	0	0	21	847	0.02
	33	0	33	0	0	47.6	1501	0.05
Paliochoriou Stanos	33 13	0	13	0	0	60.4	857	0.03
Municipality Ap		f ZERVO	CHORIO					
Municipanty A	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		^	٥	Λ	13.5	422	0.00

Popula-

tion

2001

T.O.I.

0.02

0.00

0.00

0.00

0.00

0.43

0.14

7.52

8.13

1.72

0.60

37.60

3.97

7.31

3.95

0.00

1.04

0.00

to be continued

120.01

894

603

576

777

426

7497

1603

1224

774

796

3063

467

599

2054

1202

1342

452

1303

385

50

21.5

13.7

20.5

20.2

24.2

30.3

23.8

16.8

61.1

36.7

12.4

32.5

19.1

20.3

10.1

8.6

5.7

3.8

0

0

0

0

0

0

0

0

0

0

0

0

315

1848

216

0

0

0

360

Doumbia	0	0	0	U	U	23.4	040	0.00
Municipality Apa	artment of	ARNEA	A					
Arnea	132	0	132	0	0	69.4	2250	0.08
Varvara	29	0	29	0	0	90.3	718	0.04
	4	0	4	0	0	21	847	0.02
Neochorio	•	•	33	0	0	47.6	1501	0.05
Paliochoriou	33	0		*	•	60.4	857	0.03
Stanos	13	0	13	0	0	00.4	031	0.05
Municipality Ap	artment of	ZERVO	OCHORIO					0.00
Geroplatanos	0	0	0	0	0	13.5	422	0.00
Crimni	0	0	0	0	0	9.9	557	0.00
Cimin	0	٥	0	٥	0	44.6	678	0.00

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

760

433

Culturation		_	•	^	^	101.3	3144	
Galatista	0	0	0	U	U		_	
Doumbia	0	0	0	0	0	23.4	640	
Municipality Ap	artment of	ARNEA	1					
Arnea	132	0	132	0	0	69.4	2250	
Varvara	29	0	29	0	0	90.3	718	
Neochorio	4	0	4	0	0	21	847	
Paliochoriou	33	0	33	0	0	47.6	1501	
Stanos	13	0	13	0	0	60.4	857	
		7ED V/	CHOBIO					
Municipality Ap	artment of	ZERVC		^	^	12.5	422	
Geroplatanos	0	0	0	U	U	13.5		
Crimni	0	0	0	0	0	9.9	557	
Marathousa	0	0	0	0	0	44.6	678	

8

0

0

0

0

130

66

1320

0

410

442

580

410

75

0

0

0

0

0

8

0

Municipality Apartment of KALLIKRATEIA

0

0

O

789

66

Municipality Apartment of KASSANDRA

2190

1057

3630

3218

103

2793

2647

1679

Municipality Apartment of MOUDANIA

1075

0

0

117

0

0

0

0

0

0

870

697

3220

2343

103

1898

389

844

859

117

0

0

659

Marathousa

Palaiochora

Ag. Pavlos

Nea. Gonia

Nea Silata

Kalandra

Kallithea

Kriopigi

Fourka

Nea Fokia

Ag. Mamas

Dionisiou

Zografou

464

Ag. Panteleimonas

Kassandreia

Kassandrino

Afitos

Nea Kallikrateia

Lakkoma

Rizon

Municipality Apartment of SITHONIA

Olinthos

Poligiros

Taksiarxis

Metagitsi

Ammoliani

Nea Roda

Olympiada

Ouranoupoli

Ierissos

Stagira

Stratoni

Stratoniki

Nikiti

Ag. Nikolaos

Neos Marmaras

Sana

Palaiokastro

Municipality Apartment of STAGIRON - AKANTHOU

O

28.8

199.4

14.9

69.6

90.7

42.1

118.5

71.6

52.6

16.3

13.5

21.3

43.3

86.2

12.4

0.00

0.21

0.00

0.21

2.26

0.00

2.15

1.57

19.16

0.56

5.52

7.77

10.01

0.00

0.00

0.30

to be continued

Sau	3070	150	1710	v	1022	JJ.T	2071	2.70
Sikia	6761	517	599	876	4769	140.6	1155	4.16
Municipality Apa	artment	of TRIG	LIA					
Eleochori	0	0	. 0	0	0	13.1	244	0.00
Krini	0	0	0	0	. 0	14.1	548	0.00
Nea Plagia	303	130	173	0	0	10.9	1451	1.92
Nea Tenedos	0	0	0	0	0	25.1	356	0.00
Nea Triglia	0	0	0	0	0	49.4	2945	0.00
Petralona	0	0	0	0	0	9.3	377	0.00
Prefecture total:	76354	33655	22676	3795	16228	2918.1	105156	
Source: Field resea	rch, Dep	artment o	f Tourism Ma	nageme	nt, T.E.I of	Thessalor	iki.	
According follows: > 500: ist station; 40-3	mass to 100: To	ourism s ourism N	station that Municipalit	was c	reated re ommuni	cently; 1 ty; 10-40	00-500:): Muni	icipality
follows: > 500:	mass to 100: To with ir	ourism s ourism N nportan	station that Municipalit t tourist ac	was crey or continuity;	reated re ommuni < 4: alı	cently; 1 ty; 10-40 nost nor	00-500: D: Muni n-exister	icipality nt tourist
follows: > 500: ist station; 40-3 or community activity. Table 4. Measurem	mass to 100: To with ir	ourism sourism Manager	station that Municipalit t tourist ac	was creaty or continuity;	reated re ommuni < 4: alı	cently; 1 ty; 10-40 nost nor	00-500: D: Muni n-exister	icipality nt tourist
follows: > 500: ist station; 40-3 or community activity. Table 4. Measurem	mass to 100: To with ir	ourism s ourism N nportan	station that Municipalit t tourist ac	was creaty or continuity;	reated re ommuni < 4: ali cator of squ	ty; 10-40 most nor	00-500: 0: Muni n-exister s of beach	nt tourist
follows: > 500: ist station; 40-3 or community activity.	mass to 100: To with ir	ourism sourism Manportan Carrying Carr	station that Municipalit t tourist ac	was creativity;	reated re ommuni < 4: ali cator of squ	cently; 1 ty; 10-40 most non hare meters Leve saturat	00-500: 0: Muni n-exister s of beach	nt tourist per tourist M.A.
follows: > 500: ist station; 40-3 or community activity. Table 4. Measurem Total capacity Metamorfosis	mass to 100: To with ir	ourism sourism Manportan Carrying Ca Beach (km²)	station that Municipalit t tourist ac apacity using Capacit	was creativity;	reated re ommuni < 4: ali cator of squ Users**	cently; 1 ty; 10-40 most non hare meters Leve saturat	00-500: O: Munin-exister os of beach el of ion***	nt tourist per tourist M.A. Ormilias
follows: > 500: ist station; 40- or community activity. Table 4. Measurem Total capacity Metamorfosis M. Panagias	mass to 100: To with ir	ourism sourism Manportan Carrying Ca Beach (km²)	station that Municipalit t tourist ac apacity using Capacit	was creativity; the indicate y*	reated re ommuni < 4: ali cator of squ Users**	cently; 1 ty; 10-40 most non hare meters Leve saturat	00-500: O: Munin-exister os of beach el of ion***	nt tourist per tourist M.A. Ormilias
follows: > 500: ist station; 40- or community activity. Table 4. Measurem Total capacity Metamorfosis M. Panagias Gomati	mass to 100: To with ir	ourism sourism Manportan Carrying Ca Beach (km²) 225	station that Municipalit t tourist ac apacity using Capacit 56400	was creativity; the indicate y*	reated re ommuni < 4: ali cator of squ Users**	ty; 10-40 most non hare meters Leve saturat	00-500: 0: Munin-exister s of beach el of ion***	mer tourist M.A. Ormilias 1.31
follows: > 500: ist station; 40- or community activity. Table 4. Measurem Total capacity Metamorfosis M. Panagias Gomati Pirgadikia	mass to 100: To with ir	ourism sourism Manportan Carrying Ca Beach (km²) 225	Municipalit t tourist accapacity using Capacit 56400	was creativity; the indicate y*	reated re communi < 4: ali cator of squ Users** 3760 6667	ty; 10-40 most non hare meters Leve saturat	00-500: D: Munin-exister s of beach el of ion***	mer tourist M.A. Ormilias 1.31 0.05
follows: > 500: ist station; 40-ist station; 4	mass to 100: To with ir	ourism sourism Manportan Carrying Ca Beach (km²) 225	Municipalit t tourist accapacity using Capacit 56400	was creativity; the indicates y* I	reated re communi < 4: ali cator of squ Users** 3760 6667	cently; 1 ty; 10-40 most non hare meters Leve saturat	00-500: D: Munin-exister s of beach el of ion***	mer tourist M.A. Ormilias 1.31 0.05
follows: > 500: ist station; 40- or community activity. Table 4. Measuren Total capacity Metamorfosis M. Panagias Gomati Pirgadikia M. Poligiros	mass to 100: To with ir	ourism sourism Manportan Carrying Ca Beach (km²) 225 68 282	tation that Municipalit t tourist ac apacity using Capacit 56400 100000 54400	was creativity; the indicates y* I	reated re ommuni < 4: ali cator of squ Users** 3760 6667 3627	cently; 1 ty; 10-40 most non hare meters Leve saturat	00-500: 0: Munin-exister s of beach el of ion*** 036	M.A. Ormilias 1.31 0.05 0.22

53.4

2.40

M. Stagiron-Akanthou Amoliani

0.00

1.95

0.41

0.26

0.13

0.59

0.91

0.34

Nea Roda **Ierissos**

Olimpiada

Ouranoupoli

Stratoni

Stratoniki

TOTAL

Source: Field research, Department of Tourism Management, T.E.I of Thessaloniki.

* 15 m²/per user; ** includes all divisions of hotels and rented rooms; *** in high season.

Metagitsi

Continuation of Table 3

Municipality Apartment of TORONI

Especially, for the coastal municipal apartments, the currying capacity is calculated using the indicator of *square meters of beach per tourist*, measuring the capacity and the degree of blue flag beaches saturation and result conclusions with regard to the biggest possible number of beds in municipal apartments.

Research conclusions. From the above table we conclude that the level of saturation of the beaches is 0.34. This means that according to indicator, the tourist population that can be accommodated in the costal zone is more that 62.412 persons. (Summer lodgings of population of near municipalities are not included.) Accordingly, the level of coastal use is close to 0.50. Taking into account that the current offer is 11.564 beds, we conclude that the currying capacity is almost double, reaching 22.000 beds.

CONCLUSIONS

Tourism is a highly complex activity, and thus requires tools that aid in an effective decision-making to come to terms with the competing economy, social and environmental demands of sustainable development. Application of GIS in tourism and recreation planning illustrates that it is a strong and effective tool that can aid in tourism planning and decision-making. The power of GIS lies not only in the ability to visualise spatial relationships, but also beyond the space to the holistic view of the world with its many interconnected components and complex relationships (Killical and Killical, 2001).

Impact assessment and simulation are increasingly important in tourism development and GIS can play a role in auditing environmental conditions, examining the suitability of locations for proposed developments, identifying conflicting interests and modelling relationships with consistent spatial data on tourism locations, characteristics of these locations, tourist flows. As long-term visitor use data its applications will grow significantly. The paradigm of Chalkidiki – Greece demonstrates the ability to map all spatial differentiations, measuring the currying capacity of the area. The outcome of the measurement is a safe tool leading to the sustainable development of the specific area.

REFERENCES

- 1. T. BAHAIRE, M. ELLIOTT-WHITE: The Application of Geographical Information Systems (GIS) in Sustainable Tourism Planning: A Review. International J. of Sustainable Tourism, 7 (2), 159 (1999).
- 2. J. BEEDASY, D. WHYATT: Diverting the Tourists: A Spatial Decision-support System for Tourism Planning on a Developing Island. International J. of Applied Earth Observation and Geoinformation, 1 (3/4), 163 (1999).
- 3. S. BOYD, R. BUTLER: Managing Ecotourism: An Opportunity Spectrum Approach. Tourism Management, 17 (8), 557 (1996).
- 4. S. COLE: Futures in Global Space: The Case of www.models.gis.media. Futures, 33 (4/5), 393 (2001).

- 5. C. A. GUNN: Tourism Planning: Basics, Concepts, Cases. Washington, DC: Taylor and Francis, 1994. 6. E. INSKEEP: Tourism Planning: An Integrated and Sustainable Development Approach. Van
- Nostrand Reinhold, New York, 1991. 7. J. MALCZEWSKI: A GIS-based Approach to Multiple Criteria Group Decision-making. International J. of Geographical Information Systems, 13 (8), 955 (1999).
- 8. D. McADAM: The Value and Scope of Geographical Information Systems in Tourism Management. International J. of Sustainable Tourism, 7 (1), 77 (1999). 9. D. G. PEARCE: Tourism Plan Reviews: Methodological Considerations and Issues from Samoa.
- Tourism Management, 21 (2), 191 (2000).
- 10. M. POTSCHIN, R. HAINES-YOUNG: Improving the Quality of Environmental Assessments Using the Concept of Natural Capital: A Case Study from Southern Germany. Landscape and Urban Planning, 63 (2), 93 (2003). 11. D. J. TIMOTHY: Participatory Planning, a View of Tourism in Indonesia. Annals of Tourism
- Research, 26 (2), 371 (1999). 12. P. WILLIAMS, R. W. PENROSE, S. HAWKES: Shared Decision-making in Tourism Land Use Planning. Annals of Tourism Research, 25 (4), 860 (1998).
- 13. J. K. BERRY (Ed.): GIS in Island Resource Planning: A Case Study in Map Analysis. Geographical Information Systems. Harlow, Longman. Cole, S. (1997). 'Futures in Global Space// www.models.gis.media'. Futures, 29 (4/5): 393-417, 1991.
- 14. D. GETZ: Models in Tourism Planning. Tourism Management, 7 (1), 21 (1986). 15. B. K. GIMBLETT: Afterlives. Keynote Address for the Performance. In: Tourism and Identity Conference, Wales, September 1996, the Centre for Performance Research, 1996.
- 16. E. GOBBETTI, A. O. LEONE: Virtual Sardinia: A Large-Scale Hypermedia Regional, Information System. In: Fifth International World Wide Web Conference, May 6-10, 1996, Paris, France.
- 17. K. B. GODFREY: Attitudes towards 'Sustainable Tourism' in the UK: A View from Local Government. International J. of Tourism Management, 19 (3), 213 (1998).
- 18. R. H. HAINES-YOUNG, R. BUNCE et al.: Countryside Information System: An Information System for Environmental Policy Development and Appraisal. Geographical Systems, 1 (4), 329 (1994).
- 19. J. R. P. HANNA, R. J. MILLAR: Promoting Tourism on the Internet. International J. of Tourism Management, 18 (7), 469 (1997). 20. J. HUNT: Tourism on Our Terms: Tourism in the Western United States. Denver CO, Western
- Governors Association, 1991.
- 21. T. B. JAMAL, D. GETZ: Collaboration Theory and Community Tourism Planning. Annals of Tourism Research, 22, 186 (1995). 22. T. B. JAMAL, D. GETZ (Eds): Visioning for Sustainable Tourism Development: Community-
- Based Collaborations. Quality Management in Urban Tourism. Chichester, Wiley, 1997. 23. K. K. KAMRA: Tourism: Theory, Planning and Practice. New Delhi, Indus Publishing Company,
 - 1997.
- 24. B. KEOGH: Public Participation in Community Tourism Planning. Annals of Tourism Research,
- 17, 449 (1990). 25. B. KING, M. McVEY et al.: A Societal Marketing Approach to National Tourism Planning:
- Evidence from the South Pacific. International J. of Tourism Management, 21, 407 (2000). 26. J. KRYGIER: World Wide Web Mapping and GIS: An Application for Public Participation.
- NACIS Cartographic Perspectives. State University of New York at Buffalo, Department of Geography, 2001. 27. F. LAWSON, M. BAUD-BOVY: Tourism and Recreation Development. London, The Architectural Press, 1977.