

:

2011

:

:

2011

<u>1.</u>	5
<u>2.</u>	8
2.1	O μ	8
2.2	10
2.3	27
2.4	ACE HIF1A	28
2.5	μ μ	29
2.6	μ	33
2.7	μ μ , Endermologie	
μ μ	39
2.8	40
2.9	μ	
.....	41
2.10	μ μ	
.....	42
2.11	μ	
.....	45
2.12	μ μ	
.....	47
2.13	μ Mucor racemosus μ μ	
.....	48
2.14	μ μ	
.....	48
2.15	μ μ	
.....	54
2.16	μ μ	
μ μ	56
2.17	μ μ μ	
.....	57
2.18	μ	
.....	58
<u>3.</u>	61
<u>4.</u>	63

μ μ . μ μ
μ . μ ,
, μ , μμ ,
μ .
μ μ , μ
,
μ , μ ,
μ μ . μ μ ,
, μ μ ,
μ . μ μ ,
μ , μ ,
μ , μ ,
μ μ μ μ ,
μ μ μ μ ,
μ , μ , .

μ

μ μ .
μ μ . μ
μ μ .
μ μ , μ ,
, μ μ
, μ μ .
μ μ . μ μ ,
μ μ . μ

μ . μ ,
 , μ μ .
 μ μ Rawlings(2006).
 μ -fermoral μ μ
 « » « cottage». μ
 , μ adipogenicity .
 μ , μ μ μ
 lymphatics,
 μ μ . μ
 μ , μ μ
 μ μ .
 μ , μ .
 μ μ μ μ
 , μ μ μ
 . μ μ .

2.2

μ Tanzi,
 μ Washington Institute of Dermatologic Laser Surgery
 , μ μ
 μ . ,
 μ , μ
 μ .
 μ μ μ
 .
 -
 - .
 . μ
 , ,

μ :
 • ,
 • μ μ
 • , μ μ
 • μ
 • μ .
 μ μ Rawlings(2006)
 μ μ μ μ .
 μ μ μ μ ,
 μ
 , μ
 μ , μ μ μ
 , μ . ,
 μ μ μ μ . ,
 , μ ligands peroxisomal, -
 μ , μ
 μ .
 μ μ μ
 [hydroxycitrate, epigallocatechin gallate, conjugated linoleic acid (CLA),
 etc.] , μ
 . μ , CLA
 μ μ . , Cellasene,
 μ , μ
 μ μ .
 , μ
 μ μ μ . ,
 μ μ , μ
 μ μ μ .
 Draezlos Mareus(1997),
 μ , μ μ
 μ ,
 2 μ . μ

μ , μ
 μ ,
 μ μ μ Misbah Khan, Frank Victor, Badar Rao Neil
Sadick(2010) phosphotidylcholine μ ,
phosphotidylcholine , μ cyclic-
monophosphate -AR. Gluteofemoral
 μ μ μ -AR μ
, μ μ
, μ μ
. , μ μ
. μ μ μ
. μ μ μ ,
 μ ,
 μ (c-AMP), μ , μ ,
 μ , μ , μ . μ
phosphotidylcholine (μ),
, μ - R. μ μ
Rose , μ μ septal lobular panniculitis
 μ phosphotidylcholine.
, μ μ
 μ - μ , μ , μ , μ , μ ,
, $\mu\mu$ μ -
. phosphotidylcholine μ
HIV μ .
Rotunda , ,
 μ μ μ μ ,
. , μ Sasaki
, μ μ μ
phosphotidylcholine, μ μ , μ μ
 μ (LED) μ μ (660 nm)
(950 nm), μ μ μ
 μ . μ

phosphotidylcholine LED, 15
 24
 18
 LED
 LED
 LED
 Misbah Khan, Frank Victor, Badar Rao Neil
 Sadick(2010),
 (RF),
 Westford, MA) VelaSmooth (Syneron Medical, Yokneam Illit, Israel).
 RF, VelaSmooth
 (FDA),

TriActive
 VelaSmooth
 Alma Accent RF(Alma, Buffalo Grove, IL) ThermaCool(Thermage,
 Hayward, CA)
 Accent ThermaCool
 FDA ThermalCool
 Accent
 Accent
 Ohm: $H=J^2$
 spetae.
 3mm
 Sadick Mullholland,
 VelaSmooth 35
 VelaSmooth.

μ μ μ 40%
 μ . μ VelaSmooth
 μ μ μ μ
 μ , μ μ μ μ
 μ . 50%
 μμ , 31% μ μ .
 Goldman , μ
 μ : TriActive VelaSmooth.
 μ μ VelaSmooth
 TriActive. 28% 30% μ
 μ , 56% 37%
 μ μ . μ
 μ . μ
 VelaSmooth TriActive, μ
 μ μ .
 μ , μ μ Alvarez ,
 μ μ μ μ μ μ
 . μ
 μ μ μ μ
 μ . μ μ
 μ μ μ , μ
 , mucopolysacchrides.
 μ μ
 .
 μ Goldberg , μ μ
 μ Accent . μ μ
 μ μ μ μ μ
 6 μ μ μ 2,45
 μ μ μ μ .
 μ μ μ
 . μ

dendrocytes. XIIIa-positive
 (2010),
 Brandi
 55,5%
 Bohr).
 Misbah Khan, Frank
 Victor, Badar Rao Neil Sadick(2010),
 Anderson
 20, -1, -3, -5 -7 °C 10
 Zeltiq (Zeltiq Aesthetics, Pleasanton, CA). 3,5

μ . ,
 μ μ μ μ , μ ,
 μ , μ .
 , μ μ μ
 μ , μ .
 μ , μ
 μ , μ
 μ μ μ .
 μ μ μ μ
 μ μ μ μ μ Department of
 Dermatology, Robert-Wood Johnson University Hospital, University of Medicine and
 Dentistry New Jersey, Somerset, NJ, United States Department of
 Dermatology, Weill Medical College, Cornell University, New York, NY, United
 States , μ μ
 . μ μ
 μ . μ μ μ , μ
 μ ,
 μ μ μ .
 μ μ μ .

μ

μ

μ .

2. 4 ACE HIF1A

Geroldi(2010), μ μ μ μ Emanuele, Bertona
 , μ μ μ
 μ - , μ μ μ .
 , μ μ μ .
 μ - μ ,
 / , μ μ
 , μ , μ
 , .
 μ , μ μ - μ , 200
 μ 200 μ (μ
 0, μ μ μ Nürnberger-Muller),
 μ 25 μ μ 15 .
 μ μ μ μ μ P <0,01 .
 μ , μ μ , μ
 μ μ μ μ
 1.19 (95% CI: 1,10 - 1,51· P <0,01) ACE rs1799752 0,61
 (95% CI: 0,45 - 0,88, P <0,01) HIF1A rs11549465.
 μ μ , μ ,
 ACE HIF1A , μ μ
 μ

μ - μ panniculus adiposus.
 μ , 40- Endermologie,
 μ , μ μ
 μ μ
 μ μ
 Endermologie: μμ amenorrheal μ
 μ μ μ
 μ μμ μ
 . μ μ μ
 , μ μ
 μ μμ ,
 μμ μ μ
 panniculus adiposus.
 2001 μ μ Adcock, Pulsen , Jabour,
 Davis, Nanney Shack,
 μ μ μ . μ μ
 μ μ μ μ μ
 μμ μ μ
 μ μ μ μ μ
 μ . Yucatan μ (n = 4). μ
 μ μ 4, 10, 20 μ
 . , μ μ μ
 μ μ , μ μ μ
 . μ μ ,
 μ μ , μ μ μ
 μ μ μ , μ μ
 μ . μ
 . Yorkshire, force-transducing
 , μ , μ
 μ . μ μ
 , midflank . μ
 μ μ μ 3, 5, 7, 9

μ . μ μ
 μ . μ μ
 , μ 10 μ . μ
 μ μ μ μ μ midflank μ .
 μ μ μ μ μ μ , μ
 , μ μ ,
 μ μ μ μ . ,
 μ μ μ μ μ μ
 .
 μ Daniel, Lord, Ash , Newman
 Zukowski(1998), μ
 85% μ . Silhouette μ μ
 « μ ».
 , μ μ , .
 μ Silhouette μ
 μ μ μ μ
 μ , μ μ .
 μ μ μ μ
 . μ μ ,
 μ , μ μ , μ μ ,
 , μ μ
 μ . μ 16 μ
 μ μ , μ μ 1.7
 mm 8.7 mm μ μ 25 mm 22
 mm μ .
 , μ
 μ μ . μ μ
 μ , μ μ μ
 , μ 0.8 2.1 (μ 1.5
 /). μ μ

2.6

μ

2009 μ Pacific College of Oriental
Medicine, μ μ μ μ μ .

μ
μ .

μ , μ μ μ

μ , μ , μ
μ

μ μ μ μ

μ μ μ μ μ μ

μ , μ , μ

μ μ . , μ μ μ

, μ . μ μ

μ lypossage, dermasculpture, μ .
μ Lypossage μ μ μ

. μ μ μ μ

μ μ μ
μ , lypossage μ

Phyllis Hanlon μ lypossage "Cellulite Management," μ ,

μ . , μ μ μ μ

μ . , μ μ μ μ

μ μ μ μ μ μ μ

- Craniosacral, μμ
μ
- μ, μ, μ
μ μ, μ
- Esalen μ, μ
μ μ μ
- Ice μ, μ, μ
μ μ μ
- Jin Shin Do, μ μ μ
μ μ
- Manual lymph drainage, μ μ
μ μ
μ (μ)
- μ, μ μ
μ, μ
μ
- μ μ, μ triggerpoint μ, μ
μ, μ μ μ μ
μ μ
- On-site μ, μ μ, μ
μ
- μ, μ μ μ
μ
- μ μ μ, μ
μ
- μ μ μ μ, μ
μ
- μ μ μ μ μ

- Rolwing ® μ , μ μ .
 , μ , μ .
- μ μ μ μ μ μ μ μ .
 μ μ , μ , .
- μ , μ μ μ , μ
 μ .
- μ John's, μ μ μ
 μ .
- Trager, μ μ
 μ μ .
- μ , μ μ
 μ , μ μ .
 μ μ μ μ μ μ
 , μ μ μ μ . μ
 , μ 15-90 . μ
 . μ . μ
 μ μ , μ μ μ
 . μ μ ,
 , μ , spa, μ , μμ ,
 , μ , μ μ
 μ .
 μ , μ
 μ μ μ μ μ , μ
 μ , μ μ μ μ , μ
 μ , μ ,
 , μ μ

μ μ μ . μ μ μ
 μ , μ ,
 μ ,
 μ ,
 (" "), μ μ , μ
 μ , μ ,
 , μ ,
 μ ,
 μ μ μ . μ
 μ μ μ
 μ
 2010, μ μ Hongratanaworakit,
 μ μ μ μ
 (Jasminum Sambac, Oleaceae) . μ μ ,
 μ , μ , μ
 μ , μ μ μ ,
 μ μ . ,
 μ μ
 , , μ , ,
 , μ μ μ μ .
 μ μ μ . μ
 μ , μ μ μ ,
 μ μ ,
 μ μ . μ μ , μ
 μ μ
 μ , μ μ μ .
 μ μ μ μ .
 μ μ , μ μ -
 μ
 μ , μ μ
 , μ

μ

μ

μ

.

2.8

μ

μ

μ ,

,

μ

.

μ

, μ

μ

.

μ

μ

μ

μ

μμ

.

μ

μ

μ

μ

.

μ

μ

μ

μ

.

μ

μμ

μμ

μ

μ

μ

,

μ

x-ray

μ

,

μ

μ

μ

μ

μ

μ

μ

.

μ

,

μ

μ

,

.

μ

μ

μ

μ

,

μ

μ

μ

μ

μ

μ

.

μ

μ

μ

μ

μ

,

μ

μ

μ

μ

μ

μ

μμ

.

μ 1.9 cm (: 0.1-4.5) μ , 1.3 cm (: 0.1-3.0)
 μ μ . μ
 μ , μ μ μ μ
 μ μ μ μ μ
68% μ . μ μ
 μ μ μ , μ
 μ μ . μ
 μ , μ . μ
, μ

μ 1997 Epstein, Young, Schorr, Young
Weisenborn μ μ ,
 μ μ ,
 μ μ ,
 μ μ .
 μ μ μ μ
 μ - . μ μ
 μ μ , μ μ
. μ μ
 μ μ μ . μ μ
 μ μ μ μ μ
 μ μ μ . μ
, μ μ
, μ Skinny Dip(TM) μ
 μ μ 8 μ . μ ,
, , μ μ μ
 μ . μ
 μ , , μ μ
 μ μ μ , μ μ
(Skinny Dip(TM)) μ . μ
 μ μ μ μ
 μ μ .

μ μ μ 2000,
 μ μ μ
 , Piérard-Franchimont, Piérard, Henry, Vroome
 Cauwenbergh, μ μ
 μ .
 μ , μ μ
 μ μ . μ
 μ μ μ μ , μ
 - μ μ , μ μ
 μ . μ μ 15 26 44
 μ μ μ
 μ μ μ 6-μ ,
 μ μ μ 10,7%, μ
 15,8% . μ
 μ μ μ μ μ
 μ μ μ μ .
 - μ μ μ , μ μ
 . μ μ μ ,
 . μ μ , μ
 μ μ μ XIIIa + dendrocytes
 μ , μ μ .
 μ μ μ μ μ μ μ μ
 μ μ μ μ μ μ μ μ
 , μ μ μ μ μ μ μ
 μ , μ μ μ μ μ μ μ
 μ .

2. 11

μ

BMC Women's Health 2010

Karsten Knobloch , Beatrice Joest Peter Vogt,

μ μ μ μ ,

μ μ μ . μ

μ , μ

μ , μ

μ . , μ

μ μ μ μ

μ μ μ μ μ μ

μ μ μ μ ,

IRB Hannover Medical School μ ,

22 2009, μ μ :

μμ , 1:1 μ μ

μ . μ

18 , 65 μ , μ μ μ 1 ° -4 °

μ μ Nürnberger. μ μ

μ , , μ

18 65 . μ

μ μ μ μ :

μ μ) μ μ ,)

μ Nürnberger,) μ ,) μ ,)

μ ,) μ μ . μ

μ : μ μ μ

(2000 μ , 0,25 MJ/m2 1-2 μ)

μ μ μ

μ :

μ μ (2000 μ , 0,01

MJ/m2 1-2 μ) μ μ

μ . 12 μ .
 μμ μ ,
 μ μ
 , μ , μ μ
 μ μ
 (BJ) μ μ
 μ μ .
 μ μ μ
 μ μ μ
 μ , μ μ μ
 μ μ
 .
 2008 Werner Siems, Tilman Grune, Peter Voss
 Rainer Brenke(2006), μ 26 μ
 μ lipedema , μ μ μ
 μ (CPDT) μ μ
 μ μ /
 μ μ (SWT). μ
 μ μ μ μ , μ
 μ μ lipedema
 μ (MDA) μ
 μ DA
 μ μ μ μ μ
 μ CPDT. SWT μ CPDT μ
 MDA μ μ .
 , SWT CPDT, μ
 lipedema . , SWT μ
 μ μ , μ μ
 μ . μ μ
 MDA μ
 μ μ . μ μ μ
 (LPO) μ
 μ μ SWT /
 CPDT lipedema .

SWT / CPDT , μ VEGF μ μ
 SWT / CPDT.

2. 12 μ μ

Manuskiatti, Wachirakaphan, Lektrakul
 Varothai 2009, μ μ
 μ TriPollar. μ
 μ ,
 μ /
 μ . μ μμ
 μ TriPollar.
 μ , μ ,
 . μ μ μ
 μ , ,
 , μ
 μ 4 μ μ .
 μ , μ μ μ μ
 μ . μ
 (95%) . μ μ
 3,5 1,7 (P = 0,002) μ (P = 0,002),
 . 4 μ μ , μ μ
 μ μ
 μ μ (P = 0,138 0,152,
). 50%
 μ μ μ μ . μ μ ,
 Tripollar μ μ
 μ μ

2. 13 **μ** **Mucor racemosus** **μ**

Saleh Mohamed, Heidi Abdel-Mageed, Saadia Tayel, Mohamed El-Nabrawi Afaf Fahmy(2010),
 LII Mucor racemosus
 DEAE-Sepharose gel μ , μ
 Sephacryl S-200 . μ 20
 kDa . racemosus LII Sephacryl S-200 SDS-
 PAGE. LII ph 4,8. Vmax Km LII μ 55,5 μmol
 / min / ml 2% .
 μ LII 5,0 40 ° C, . μ pH
 70 ° C. μ + Cu²⁺, Al³⁺ +
 Fe³⁺, Mg²⁺ +, Ni²⁺ + Mn²⁺ +, Ca²⁺ +, Co²⁺ + +
 Hg²⁺ + μ . Pb²⁺ + μ μ
 μ . μμ
 934 385% μ μ 4 ° C 420 μ .
 . racemosus μ
 934, μ
 μ μ μ .

2. 14 **μ** **μ**

Lach 2008,
 μ , μ μ
 μ , μ μ μ , μ
 μ . μ ,
 μ FDA μ SmoothShapes
 (Elemé Medical, Merrimack, NH, USA).

μ (MRI) μ (n=102) μ (n=74)
 14.3 μ 4-6 μ 650 \pm 20 nm 915 \pm 10 nm
 μ (MRI) μ μ .
 μ μ 1.19 cm(2) () 3.82
 cm(2) () .
 μ (p<0.001). μ μ , 82.26%
 μ . μ μ . μ μ ,
 μ , μ μ , μ μ μ ,
 μ , μ μ μ μ μ μ
 μ μ μ 2010 Kulick,
 μ μ μ , μ μ -
 μ ,
 μ μ .
 μ μ .
 μ , μ μ , μ μ
 μ , μ μ , μ μ ,
 μ , VECTRA μ
 μ μ 4 μ .
 15 μ μ
 SmoothShapes. 1, 3, 6 μ μ
 μ μ , μ μ
 μ μ , « μ »

μ μ VECTRA.
 μμ μ μ .
 .
 μ μ . 94%
 . VECTRA 82%
 μ , 76% 3 μ , 76% 6 μ .
 μ
 μ μ μ μ
 , μ μ μ 6
 μ . μ μ , SmoothShapes
 μμ , 6 μ μ
 μ
 VECTRA.
 2007 μ μ
 VelaSmooth . μ μ Sadick Magro
 μ μ
 . μ ,
 μ μ ,
 . μ μ μ
 μ . μ μ
 μ μ , μμ μ μ
 μ 6 μ μ μ
 VelaSmooth. μ μ .
 μ μ μ μ
 μ μ μ
 μ .
 μ μ
 μ μ μ ,
 ,
 . μ ,
 μ μ 71,87% . μ μ 0,44
 μ 0,53 cm μ μ .
 μ μ .

, 50% μ μ 25%
 . μ μ , μ μ .
 μ
 , μ μ .
 2006 μ μ Nootheti, Magpantay, Yosowitz,
 Calderon Goldman, μ μ
 VelaSmooth Triactive μ .
 μ
 μ
 . ,
 μ μ . TriActive
 VelaSmooth. TriActive μ μ
 μ μ laser μ , ,
 μ , VelaSmooth μ
 μ :
 (RF) μ μ μ μ μ .
 μ μ
 VelaSmooth TriActive μ μ .
 μ μ μ ,
 μ 6 μ , μ
 TriActive μ VelaSmooth .
 μ μ μ μ
 , μ μ VelaSmooth TriActive
 : μ μ ,
 , μ
 μ . μ
 μ μ μ μ VelaSmooth μ TriActive.
 μ μ , TriActive VelaSmooth,
 . μ , μ
 μ ,
 μ .

, , μ μ
 . μ , $\mu\mu$
 25-27 , μ (I-V) μ μ μ
 μ , μ
 μ μ (μ μ)
). μ , μ
 μ μ μ , μ 20 watts
 RF, 20 watts IR (700-1500 nm), 200 (750 mmHg
). μ μ
 μ μ ,
 , , μ μ . μ
 , μ μ μ
 μ μ (0 = < 25%, 1 = 25%-50%, 2 = 51%-75%, 3 = >75%
), μ , μ
 . μ μ
 , μ . μ
 90% (18/20)
 , 17 18
 μ . μ , μ
 μ , μ
 2/20 μ ,
 . μ 1.82
 (μ 50%) μ . μ
 μ μ , μ 0.8 cm .
 μ μ , μ μ μ μ μ μ
 μ μ RF,
 μ μ . μ μ ,
 μ
 μ μ .
 μ μ Foster KW, Kouba DJ, Hayes J,
 Freeman V Moy RL(2008), μ μ
 μ , μ ,
 μ $\mu\mu$ μ ,
 ,

μ , μ μ
 μ , μ μ
 μ MedSculpt μ
 μ μ , μ μ ,
 μ μ μ μ 3
 Hz. μ μ μ
 μ μ . μ
 μ . 12 μ μ
 2 3 μ . μ
 μ , μ μ
 μ 2.25 cm 4%, μ μ μ 5 cm 1 μ .
 μ supraumbilical , μ
 μ infraumbilical 6.5 cm 7.3%, μ μ μ 10 cm 1
 μ . μ , , μ
 , μ μ μ . μ
 μ 12 μ
 μ μ μ μμ
 μ .

2. 15 μ

μ

μ μ μ μ Stephan Bielfeldt, Peter
 Buttgerit, Marianne Brandt, Gunja Springmann Klaus-Peter Wilhelm(2008),
 μ μ μ
 μ μ , μ
 μ μ μ - ,
 μ μ μ
 . , μ

μ ,
 μ μ μ μ μ .

2. 17 μ μ μ

, μ Hexsel, Dal’Forno Hexsel(2009) μ
 μ μ μ μ , μ
 μ μ μ μ μ μ
 μ , μ μ μ μ μ
 μ μ . μ μ ,
 μ μ μ μ μ
. μ μ μ 55 μ
 , μ μ .
 μ μ μ μ .
 μ μ μ μ μ
 , μ μ , μ μ μ
 ,
 μ . μ 0 3,
 , μ . μ
 μ (P < 0,05)
 : μ > 0,7. - > 0,7, μ
 . 0,881 - 0,922. Cronbach’s alpha 0,851 -
 0,989 68-76%. μ
 μ μ , μ ,
 μ μ μ μ .

μ , . μ
μ . μ
μ μ μ Donofrio.
, μ
Endermologie, « μ " μ ,
. μ μ μ ,
μ μ μ .
μ μ Tanzi, μ μ μ
μ μ μ ,
μ μ μ .
μ μ , μ .
μ μ .
Donofrio, μ μ μ
\$ 100 . μ
μ μ . μ μ ,
Endermologie μ .
μ , μ μ μ μ .
μ μ μ μ
μ μ , .
μ Tanzi
, μ .
, μ μ .
Donofrio, μ μ μ μ
μ , μ .
, μ μ
. μ μ μ
μ « » « », μ
, μ μ .
, μ
μ μ μ , μ μ
μ μ μ . μ
μ Tanzi, μ μ μ μ
μ μ μ μ

μ .
 . , μ
 μ . , μ
 μ . , μ
 , μ μ
 μ . μ VelaSmooth,
 Syneron. Tanzi, μ
 μ μ , μ
 μ . μ ,
 . μ μ
 Tanzi Donofrio, μ μ .
 , , Donofrio
 μ , μ μ
 μ μ , μ μ
 μ μ
 .
 μ μ μ
 , , .

μ μ μ .
 μ μ μ μ ,
 μ μ μ .
 μ μ μ , μ μ
 μ . μ , μ μ
 μ μ μ .
 μ , μ
 ,
 .
 μ μ μ , μ μ μ
 μ μ μ μ μ ,
 μ
 μ .
 ” μ μ , μ μ
 .
 μ μ
 , μ
 μ , “ μ μ ”,
 μ .
 μ μ μ μ μ
 μ , μ μ μ μ , μ
 μ μ μ μ μ μ ,
 μ μ μ μ μ μ
 , μ
 .

μ -subcision, μ μ μ , μ
 μ μ μ μ μ
 .
 μ μ μ μ ,
 μ μ , μ
 μ spetae.
 μ μ μ , μ
 , μ μ μ μ
 , μ μ .
 μ μ μ . μ
 μ μ μ μ μ μ ,
 μ μ μ , μ
 μ μ .
 μ μ μ μ , μ
 , μ μ μ .
 μ μ μ μ μ
 , μ μ μ
 μ μ μ μ μ
 , μ μ μ μ μ .

- Adcock D, Pulsen S, Jabour, Davis S. & Nanney LB & Shack RB (2001) *Plast Reconstr Surg.* 2001 Jul;108(1):233-40.
- Alster TS. & Tanzi EL. (2005) *J Cosmet Laser Ther.* 2005 Jun;7(2):81-5.
- Bayrakci Tunay V, Akbayrak T, Bakar Y, Kayihan H. & Ergun N. (2010), *J Eur Acad Dermatology Venereal.* 2010 Feb;24(2):138-42. Pub 2009 Jul 13.
- Bayrakci Tunay V, Akbayrak T, Bakar Y, Kayihan H. & Ergun N. (2010), *J Eur Acad Dermatology Venereal.* 2010 Feb;24(2):138-42. Pub 2009 Jul 13.
- Banally L, Bert JPL, Canasta C, Am ram P. & Bonham G. (1999), Entomology: humeral repercussions and estrogen interaction. *Aesthetic Plats Surge.* 1999 Sep-Oct;23(5):312-5.
- Beth Burch ND. Retrieved from The eclectic physician web site: http://www.eclecticphysician.com/treatment/body_care/cellulite.shtml
- Butteries P, Brandt M, Spring Mann G, Wilhelm K. & Belfield S. (2008) *The Authors. Journal*
- Collis N, Elliot LA, Sharpe C. & Sharpe DT. (1999) Cellulite treatment: a myth or reality: a prospective randomized, controlled trial of two therapies, endermologie and aminophylline cream. *Plats Reconstr Surge.* 1999 Sep;104(4):1110-4; discussion 1115-7
- compilation © 2008 Blackwell Mansard Volume 14, Issue 3, pages 336–346, August 2008
- Department of Dermatology, Bowman Gray School of Medicine, Wake Forest University, Winston-Salem, North Carolina, USA.
- Departments of Dermatology & Regenerative Medicine, Wake Forest University School of Medicine (2007) Obesity and the skin: Skin physiology and skin manifestations of obesity, *Journal of the American Academy of Dermatology, Volume 56, Issue 6, June 2007, Pages 901-916*
- Department of Dermatology, Robert-Wood Johnson University Hospital, University of Medicine and Dentistry New Jersey, Somerset, NJ, United

States

Department of Dermatology, Well Medical College, Cornell University,
New York, NY, United States

- DM Hexes, T Dal’Forno & CL Hexes (2009) A validated photonumeric cellulite severity scale, *Journal of the European Academy of Dermatology and Venereology Volume 23, Issue 5, pages 523–528, May 2009*
- Doris Maria Hexes MD, Marcelo Abreu MD, Ticiana C. Rodrigues MD, Mariana Soirefmann MD, Debora Zechmeister Do Prado Pharm & Maryelle Moreira Lima Gamboa Pharm (2009) Side-By-Side Comparison of Areas with and without Cellulite Depressions Using Magnetic Resonance Imaging, *Dermatologic Surgery Volume 35, Issue 10, pages 1471–1477, October 2009*
- Draezlos ZD & Mareus KD (1997) *Dermatology Surge. 1997 Dec;23(12):1177-81.*
- E Emanuele1, M Bertona & D Geroldi (2010) A multilocus candidate approach identifies ACE and HIF1A as susceptibility genes for cellulite, *Journal of the European Academy of Dermatology and Venereology Volume 24, Issue 8, pages 930–935, August 2010*
- Enzo Emanuele MD, Piercarlo Minoretti MD, Karmela Altabas MD, Elio Gaeta MD & Velimir Altabas MD (2011) Adiponectin expression in subcutaneous adipose tissue is reduced in women with cellulite, *International Journal of Dermatology Volume 50, Issue 4, pages 412–416, April 2011*
- Epstein E, Young VL, Schorr M, Young AE & Weisenborn S. (1997) *Aesthet Surge J. 1997 Sep-Oct;17(5):304-7.*
- Foster KW, Kouba DJ, Hayes J, Freeman V& Moy RL. (2008) *J Drugs Dermatology. 2008 Feb;7(2):113-5.*
- Gullec AT (2009) *Int J dermatol 2009 Mar; 48(3): 265-70*
- Hongratanaworakit T. (2010) Stimulating effect of aromatherapy massage with jasmine oil. *Nat Prod Commun. 2010 Jan;5(1):157-62.*
- Karsten Knobloch , Beatrice Joist & Peter M Vogt (2010) Cellulite and extracorporeal Shockwave therapy (CelluShock-2009) - a Randomized Trial, *BUM Women’s Health 2010, 10:29doi:10.1186/1472-6874-10-29*

- Kulich MI. (2010) *Plats Reconstruct Surge*. 2010 Jun;125(6):1788-96.
- Lach E. (2008) *J Cosmet Laser Ther*. 2008 Dec;10(4):202-9.
- McDaniel DH, Lord J, Ash K, Newman J. & Zukowski M. (1998) *Aesthet Surge J*. 1998 May-Jun;18(3):177-82.
- Misbah H. Khan, Frank Victor, Badar Rao & Neil S. Sadick (2010) Treatment of cellulite: Part II. Advances and controversies. *Journal of the American Academy of Dermatology*, Volume 62, Issue 3, March 2010, Page 385
- Montauks C. & Laotian M. (2008) *J Eur Acad Dermatology Venereal*. 2008 Dec;22(12):1465-70. Pub 2008 Aug 28.
- Nootheti PK, Magpantay A, Yosowitz G, Calderon S & Goldman MP. (2006) A single center, randomized, comparative, prospective clinical study to determine the efficacy of the VelaSmooth system versus the Triactive system for the treatment of cellulite. *Lasers Surge Med*. 2006 Dec;38(10):908-12.
- Pacific College of Oriental Medicine (2009), Massage Can Combat Cellulite, *Acupuncture, Massage, Newsletter - June 2009 | Issue 63*
- Personal Care Institute, Philips Research, Eindhoven, Netherlands Lab. of Gen. and Biol. Chemistry, Fac. of Phys. Educ. and Physiother., Free University of Brussels, Brussels, Belgium Lab. V. Algemene en Biol. Scheikunde, Vrije Universiteit Brussel, Lokaal 6G304, Pleinlaan 2, B-1050 Brussel, Belgium
- Piérard-Franchimont C, Piérard GE, Henry F, Vroome V. & Cauwenbergh G. (2000), A randomized, placebo-controlled trial of topical retinol in the treatment of cellulite. *Am J Clin Dermatology*. 2000 Nov-Dec;1(6):369-74.
- Proebstle TM (2010) Cellulite, *Hautarzt*. 2010 Oct;61(10):864-72.
- R. Morgan Griffin, Retrieved from Web Site: <http://www.medicinenet.com/script/main/art.asp?articlekey=55691>
- Rao J, Gold G. Michael & Goldman P Mitchel (2005) *Journal of Cosmetic Dermatology*, Volume 4, Issue 2, pages 93–102, June 2005
- Rawlings AV (2006) *Int J Cosmet Sci*. 2006 Jun;28(3):175-90.
- Retrieved from University of Maryland Medical Center web site: <http://www.umm.edu/ency/article/002033.htm>

- Retrieved from Harvard University faculty of the Harvard Medical School Web site:
<http://www.intellihealth.com/IH/ihtPrint/WSIHW000/8513/34968/365286.html?d=dmContent&hide=t&k=basePrint>
- Romero C, Caballero N, Herrero M, Ruíz R, Sadick NS & Trelles MA (2008) *J Cosmet Laser Ther.* 2008 Dec;10(4):193-201.
- Skin Sciences Institute, Children's Hospital Research Foundation, 3333 Burnet Avenue, Cincinnati, OH 45229, United States
- Stephan Belfield, Peter Butteries, Marianne Brandt, Gunja Spring Mann & Klaus-Peter Wilhelm (2008) Non-invasive evaluation techniques to quantify the efficacy of cosmetic anti-cellulite products, *Skin Research and Technology Volume 14, Issue 3, pages 336–346, August 2008*
- Tina S. & Mahsa Tehrani (2006) Wiley-Liss Inc. *Volume 38, Issue 8, pages 727-730, September 2006*
- W Manuskiatti, C Wachirakaphan, N Lektrakul & S Varothai (2009) Circumference reduction and cellulite treatment with a TriPollar radiofrequency device: a pilot study, *Journal of the European Academy of Dermatology and Venereology Volume 23, Issue 7, pages 820–827, July 2009*
- Wanner M. & Avram M. (2008) *J Drugs Dermatology.* 2008 Apr;7(4):341-5.
- Werner Siems, Tilman Grune, Peter Voss & Rainer Brenke (2008) *Copyright © 2005 International Union of Biochemistry and Molecular Biology, Inc.*