

μ μ

μ

. . .



μ :

:

2013

$\mu \mu$ μ μ μ
 $\mu \mu$ μ μ μ

.1	6
.2	7
.3	8
.4	10
.4.1.	10
4.1.1.	10
4.1.2.	11
4.1.3.	12
4.1.4.	12
.4.2.	13
4.2.1.	14
4.2.2.	15
4.2.	15
.4.3.	16
4.3.1.	17
4.3.2.	18
4.3.3.	18
4.3.4.	20
4.3.5.	21
.5	23
5.1.	23

5.2.	24
5.3.	25
5.4.	26
5.5.	27
5.6.	28
5.7.	29
5.8.	29
.6	31
6.1.	31
6.2.	32
6.3.	33
.7	36
7.1.	37
7.2.	38
7.3.	39
7.3.	39
7.4.	40
.8	41
8.1.	41
8.2.	42
8.3.	42
8.4.	43
.9.	44

. 9.1	45
. 9.2	47
.10	63
	64

μ
 . μ μμ
 μ μ
 μ μ μ μ
 μ μ μ μ
 μ μ μ μ μ μ
 μ μ μ μ μ μ μ μ

: , , ,

μ μ μ ,
 . μ μ
 μ . μ
 μ , μ μ
 μ . μ μ μ μ μ
 . μ
 μ μ μ μ , μ
 μ μ .
 μ μ μ μ μ
 μ . μ μ
 .
 μ μ .
 μ μ
 « » μ (, ,
). μ μ μ μ μ
 μ μ μ μ ,
 μ
 μ .

μ « » μ « » .
 μ , μ
 , DNA. μ
 μ .⁴

:

- (), μμ μ
 μ μ . μ μ
 μ . ,
 μ μ μ ,
 μ μ .
- (), ()
 μ (), , μ
 μ μ μ .
 μ . , μ , μ μ μ
 μ μ
 . μ .
- μ , μ
 . μ μμ
 μμ μ (μ)
 (μ) .
 μ μ .⁵

μ , μ μ μ ,
μ μ , μ . 8
μ , μ

anti-aging μ
μ . , μ
,
, ,
μ .
μ .
μ μ . μ . . «two
years old» μ 2 . μ
μ μ . 9
μ μ μ μ μ
μ . μ μ μ μ
μ μ . , μ
, μ μ . 10

μ μ DNA, μ ,
μ μ μ μ
μ μ μ μ .
μ μ μ μ .
μ « μ », «μ »
«μ » μ μ ,
μ μ « μ »
DNA , μ

,
 μ .¹⁸
 , μ , μ
 μ μ μ μ μ μ
 .
 μ μ μ ,
 μ μ μ μ .
 μ μ , μ
 μ μ « μ »
 . μ , μ
 . μ :
 μ μ , μ (. . , 60%
 , 20% , 20%), μ
 μ « μ » . μ
 μ
 (. . , μ μ μ),
 μ ,
 μ μ
 μ (. . , 65% , 15%
 , 20%). , μ
 μ (. . , μ μ)
 . μ μ 2-3
 , μ ,
 , , .
 , μ , μ
 , μ μ μ μ μ μ
 , μ μ μ μ μ , ,
 μ , μ .¹⁹
 μ μ μ ,
 , () . ,
 μ (μ),

μ μ μ , μ μ
 μ μ «μ ».
 μ
 .
 μ μ ,
 μ .
 .
 μ
 μ .
 .
 μ μ .28

-
 To μ μ
 , μ .
 μ
 μ μ μ ,
 μ . 50% μ
 μ μ μ .
 μ
 μ .
 μ ,
 , μ , μ ,
 , μ ,
 μ . 50%
 70% - μ

μ , μ , μ μ
 , μ
 μ (distress stress),
 μ μ
 (eustress)
 μ , μ .
 μ μ , μ .
 μ , μ
 μ .²⁹
 μ μ (stressors)

1. (external stressors)
 (/ , ,)
 (, μ ,
 , μ μ . .)
 μ μ (μ , μ
 μ / μ , μ / . .)
 (μ , , ,
 μ μ).
 R. Lazarus μ
 μ μ μ μ

2. E (internal stressors)
 (, , μ . .
 μ , . μ
 , μ
 μ , μ).
 - , , , ,
 μ μ μ « » .

μ
60%
μ
20-50%
μ ,
.37

μ , μ
μ μ
μ . μ μ
μ ()
(μ μ , μ
μ μ). μ μ
μ C, μ
μ .38

μ μ
μ μ , μ ,
μ .
μ .39
μ , μ μ « ».

40% 24% ,
μ
μ μ μ μ
μ μ μ μ
μ μ μ μ
μ μ μ μ
μ μ μ μ

) () . μ ,
) μ : , μ μ , μ , μ
 (μ) .
) μ μ Yanni (. . “ n my Time) μ μμ
 (μ) μ
 . μ μ , μ , . .
 μ μ μ μ .
 μ (.) . ,
 μ lounge μ .
) μ μ μ .
 μ μ μ μ μ
 .
) μ . μ
 μ (Himalaya) .
) μ . μ μ
 . μ (, μ) μ
 μ μ .
) : (μ
 μ μ . . , μ
) (, ,
 μ μ) .
) μ μ ..
 , μ μ
 μ , μ μ μ μ
 ..
 μ μ μ μ
 μ
 - :
 μ μ , μ
 μ .

* : μ C , μ μ .

* : μ μ μ μ .

* : -3 μ μ μ μ μ , μ .

* : μ μ μ μ .

* : μ μ μ μ μ μ , μ .

* : μ : μ μ μ .

* : μ , μ μ μ , μ μ , μ .

* : μ μ μ , μ μ .

- μ μ μ , μ μ , μ μ μ μ .

- μ μ μ μ μ μ μ .

- μ μ μ μ μ μ .

μ μ μ μ μ μ
 . , « ».
 - μ , μ
 μ .
 - « μ ».
 μ , μ , μ ,
 μ , , .
 - μ , μ μ μ μ yoga μ
 .
 - μ μ μ μ μ .
 μ μ μ μ .
 - μ μ ,
 . , μ μ μ μ .
 μ μ μ μ .⁴⁴

μ μ μ μ , .
 μ μ , μ μ μ
, (UV). μ
 μ (μ). μ μ ,
 μ μ 2.
 μ μ μ ,
 μ , μ
 μ . μ μ μ
 μ , μ .
 μ μ μ μ μ
 μ , μ ,
 μ .⁵³

-

, μ .

μ , μ , μ ,

, μ , μ μ .

, μ

, μ μ

. μ μ

μ μ μ

, μ μ μ μ .⁵⁴

<< >>

. ,

- μ μ , μ μ

,

.

.

μ μ ,

, μ μ

, μ μ ,

.⁵⁵

μ μ μ

, μ μ

μ μ

, μ , μ

μ , μ

μ , μ

μ μ , μ

, μ ,

μ μ , μ ,

μ , , , μ μ
 . μ μ ,
 μ μ " μμ
 , μ μ ,
 μ , , . μ μ μ
 7,4% μ
 , μ . ,
 , μ 60%
 90%, μ , μ 20%
 μ .⁵⁸
 μ , μ μ μ
 μ μ μ μ μ
 μ μ μ μ .
 μ μ μ , μ μ
 . , μ μ , μ -
 μ μ μ μ .
 - μ
 . μ μ μ ,
 μ μ μ μ μ μ
 - μ
 . μ -
 μ μ .⁵⁹

9.1

1. ;

2. ;

40 40

3. μ μ ;

4. $\mu\mu$;

5. ;

6. ;

μ μ

7. ; μ

8. μ ;

9. μ μ ;

10. μ μ ;

11. μ ; μ

12. ; $\mu\mu$

5 10 15

13. μ μ μ ;

1 3 4 7

14. μ μ μ ;


1 2 μ 3 4 μ 5 6 μ

15. ;

16. ;

2.

μμ



75%

25%

40

μ

40


μμ .

3.

μ

μ

.



μ

μ

$\mu\mu$

,

μ

$\mu\mu$. 95%

μ

μ


5%

μ

.

4.

μμ




μμ μ , μ
μ μ μ μμ
μ μ μμ , 20%
μμ . μ

5. μ

μ

$\mu\mu$

.



μ μ

60%

μ

$\mu\mu$

$\mu\mu$

μ


40%

μ

.

6.

μ



40%

μ

μ

60% μ

,

30%


30%

μ

.

7.

μμ
μ



70%

μ

μ

μ


30%

μ

8.

μμ

μ .



80%

μ

20%

μ

μ


μμ

.

9.

μ

μ



60%

μ

μ

30%

μ

μ


10 %

μ

10.

μ μ

μ μ .




60%

μ μ μ 30% μ μ .

μ μ 10% μ μ .

11.

μ



100%

μ

μ

μ

μ


μ

μμ

12.

μ

μμ



80%

5

μ

10%

10

10%

15

μ

μμ


13.

μ

μ

μ

μμ



70%

μ

1 3 μ

μ

30%

μ

4 7 μ


μ

.

14.

μ μ μμ .

μ




20% μ
μμ μ μ 1 μ 2 μ
μ μμ , 50% μ
μ 3 μ 4 μ μ μμ 30%
μ μ
μμ .

15.

μ

, μ

μμ μ



μ

μμ

90%

μ


10%

μ

μμ

16.

μ . μ



70%

20% μ

10%

1. . , μ ,
1998 (4)
2. , – , 1997(52)
3. , , μ ,
, 9 μ 2003»(50)
4. .“ ”
26
2005, (53)
5. .“ ”. 27
μ 2005,(51)
6. : . University Studio Press, /
1992.(49)
7. μ , μ , ;
!, , , 3 2004(10)
8. .“ ”
7 2006(48)
9. μ , μ ,
1998(22)
10. . , μ ,
1998(21)
11. , « » ,
, , 1 2003(34)
12. . . , , 1997 (1)(3)
13. . , , 1999 (2)
14. . , , ,
1996 (3)
15. μ , ,
μ , 24 2004, (47)

16. , , μ ;
, 31 μ 2002, (20)

17.. , , , 21 μ 2004 (19)

18.Ainsworth, B.E., Haskell, W.L., Leon, A.S., Jacobs, D.R., Montoye, H.J., Sallis, J.F, and Paffenberger, R.S. (1993). "Compendium of Physical Activities: Classifacatio of Energy Costs of Human Activities". Medicine and Science in Sports and Exercise(18)

19Adams, J M G and Tyson, S (2000). The effectiveness of physiotherapy to enable an elderly person to get up from the floor, A single case study, Physiotherapy(42)

20.American College of Sports Medicine. "Exercise and Physical Activity for Older Adults". Medicine and Science in Sports and Exercise, 1998(46)

21.American College of Sports Medicine. "The Recommended Quality of Exercise for Developing and Maintaining Cardiorespiratory and Muscular Fitness and Flexibility in Health Adults ". Medicine and Science in Sports and Exercise,(17)(41)

22.American College of Sports Medicine. "Exercise and Physical Activity for Older Adults". Medicine and Science in Sports and Exercise(7) (45)

23.American College of Sports Medicine . ACSM's Guidelines for Exercise Testing and Exercise Prescription . 5th ed. Baltimore, MD: Williams and Wilkins, 1995.(16)

24.Blair, S.N. and Connelly, J.C. "How Much Physical Activity Should We Do? The Case for Moderate Amounts and Intensities of Physical Activity". Research Quarterly for Exercise and Sports, 1996)(9)

25. Boochard C, et al: Exercise, fitness and health. Human Kinetics Books, Champaign 1990. (8)

26. Bouchard C., Shepard R., and Stephens T. (Eds). Physical activity, fitness and health. International proceedings and consensus statement. Champaign, IL: Human Kinetics Publishers, 1994 (39)
27. Jennifer S. Brach, Eleanor M. Simonsick, Stephen Kritchevsky, Kristine Yaffe, Anne B. Neuman, The association between physical Function and lifestyle. Activity and exercise in the health, Aging and Body Composition Study, 2004,(44)
28. Clement, M. And Hales, D. How healthy Are We? Parade Magazine. September 1998(40)(58)
29. Corbin, C.B. and Pangranzi, R.P (Editors), Towards a Better Understanding of physical Fitness and Activity. Scottsdale, AZ: Holcomb-Hathaway, 1999,(38)
30. Coats AJS, Adamopoulos S, Meyer T, Conway J, Sleight P: Effects of physical training in chronic heart failure. Lancet 1990(33)
31. Corbin, C.B., and Pangazi, R.P. "Physical Activity Pyramide Rebuffs Peak Exerience". ACSM's Health and Fitness Journal, 1998)(37)
- .32 Research Quarterly for Exercise and Sports. Special issue on Physical Activity, Health and Well – Being. An International Scientific Consensus Conference, 1995.(32)(57)
33. Campaigne, B.N." Exercise and Type I Diabetes". ACSM's Health and Fitness Journal (1998)(14)
34. Chandler, J M and Hardey, E C. Exercise to improve physiologic and functional performance in old age, Clinics in Geriatric Medicine, 1996.(30)
35. Dargie, HJ and Grant, S. Exercise. British Medical Journal, (1996)(13)(59)
36. Franks, B.D. "Individualized Recommendations for Physical Activity". President's Council on Physical Fitness and Sports Research Digest,(1997)(15)(56)
37. Haskell, W.L." Physical Activity in the Prevention and Management of Coronary Heart Disease". Physical Activity and Fitness Research Digest (1995)(43)
38. Evan W. Kligman, MD Eric Pepin, Ms Geriatrics, 1992(29,31)

39. Lee I. and Paffenberger R.S.Jr. Do physical activity and physical fitness avert premature mortality? In J.O.Holloszy (Ed.), Exercise and sport Science Reviews.
Baltimore: Williams and Wilkins, 1996. (12)
40. Nieman, D.C. "Moderate Exercise Boosts the Immune System".
ACSM's Health and Fitness Journal.(1997)(28)
41. Payne, W.A. and Hahn, D.B. Understanding Your Health. (5th ed)
St. Louis:
WCB/McGraw – Hill, 1998.(11)(55)
42. Pate R.R. , et al. "Physical Activity and Public Health: A Recommendation from the Centers for Disease Control and Prevention and the American College of Sports Medicine". Journal of the American Medical Association(1995)(25)
43. U.S. Department of Health and Human Services. Physical Activity and Health: A Report of the Surgeon General. Atlanta, GA: U.S. Department of Health and Human Services, 1996.(23)(54)
44. U.S. Department of Health and Human Services. Healthy People 2010 Objectives: Draft for Comments. Washington, DC: U.S. Department of Health and Human Services, 1998.(24)
45. U.S. Department of Health and Human Services. Physical Activity and Health: A Report of the Surgeon General. Atlanta, GA: U.S. Department of Health and Human Services, 1996(36)
46. Vitug A: Exercise and Type I diabetes mellitus. In Exercise and Sport Sciences Reviews KB Pandolf (ed). Vol 16. Macmillan, N York 1998.(26)
47. Vita AJ, Terry RB, Hubert HB, Fries JF. Aging, health risks, and cumulative disability. N Engl J Med 1998.(5)

48. <http://www.iatronet.gr/>(27)

49. <http://www.medlook.net/>

50.<http://www.hape.gr/>(35)

51.<http://health.in.gr/>(6)